

# Circuits and Maxwell Equations


*DOI: 10.13140/RG.2.2.10580.31369*

Revised from DOI: 10.13140/RG.2.2.32272.93440

**NITMB: April 16, 2025**

**“Work in Progress” Seminar Series**

**Thanks to Maryn Carlson for Invitation and Arrangements!**



**Discussion, Slides, References**  
**[Bob.Eisenberg@gmail.com](mailto:Bob.Eisenberg@gmail.com)**

# ***The Maxwell Equations are Universal and Exact***

*and do not depend on material parameters, when written without dielectric approximation.*

***Universal and Exact Equations are scary to scientists like me , trained to be skeptical***

**The Maxwell equations guarantee the perfect conservation of total current,**  
*including displacement current,*  
**in circuits and everywhere else, including mitochondria.**

Current Laws can be derived by taking the divergence of the Maxwell Ampere Law

$$\mathbf{div\ curl\ B} = \mathbf{0} = \mathbf{div\ } (\mu_0 (\mathbf{J} + \varepsilon_0 \partial \mathbf{E} / \partial t)) = \mathbf{div}(\mu_0 \mathbf{J}_{total})$$

**Total current never accumulates anywhere,**  
*even for the shortest intervals of time.*

**Different currents flow in the transport chains of mitochondrial membranes:**  
*electrons, protons, ions and displacement currents.*

*The magnificent enzyme*


**ATPsynthase**

**combines all the types of currents,**  
*using Maxwell's current equation,*  
*to power the synthesis of*  
**ATP**

**Circuits are a Crucial Part of Molecular and Cell Biology  
of Nerve, Muscle, and Heart**

# CIRCUITS IN NERVE SIGNALS


## Long Biological Cell



a. In response to a signal, the soma end of the axon becomes depolarized.





b. The depolarization spreads down the axon. Meanwhile, the first part of the membrane repolarizes. Because  $\text{Na}^+$  channels are inactivated and additional  $\text{K}^+$  channels have opened, the membrane cannot depolarize again.




c. The action potential continues to travel down the axon.



Image source




Nerve Signal Propagates Through a Circuit  
that carries CURRENT  
not Sodium Ions  $\text{Na}^+$




NOT  $\text{Na}^+$

# All the Current that Flows in Flows Out

*in Short Biological Cells*






**B** EQUIVALENT CIRCUIT MODEL



$$I_K + I_{Na} + I_{Ca} + I_{Cl} + C_m \frac{\partial V}{\partial t} = 0$$



# Electron Transport Chain in Mitochondrion is a Circuit



→ Protons

→ Electrons

**NEW:**

**Kirchhoff's Law for Total Current  $J_{total} = 0$**   
**Couples All Currents and Transporters in Mitochondria**  
***If one current increases, others decrease***

# Circuits are the Most Used Application of Electricity

**1) Circuits deliver Signals** in computers (2025) and in telegraphs (~1840)

**2) Circuits deliver Power** to computers (2025) and industry (~1890)

A typical smartphone will contain  $> 10^9$  memory circuits

Google says there are  $> 10^{10}$  smartphones

**>>  $10^{19}$  Circuits in the world**


***Circuits Implement the  
Devices of Engineering***



## One Dimensional Telegraph Circuits in American West around 1850





## One Dimensional Telegraph and Telephone Wires Philadelphia 1890




# Circuits Power Everything

as branched one dimensional systems





# Circuits Power our Homes and Offices



**How derive properties of circuits  
from the Maxwell Equations?**

Circuits are taught in high school physics and university engineering to millions of students every year


**Every electrician knows that current only flows in a  
complete circuit.**



Device converts Input to Output by a simple 'law'

# Branched One Dimensional Circuits Form Devices


Circuit Diagram of common 741 op-amp: Twenty transistors needed to make linear robust device



Dotted lines outline: current mirrors (red); differential amplifiers (blue);  
class A gain stage (magenta); voltage level shifter (green); output stage (cyan).

# Arithmetic Logic Unit Circuit

## 'The Brain' of Computers




# Integrated Circuit

*Technology as of ~2014*

*IBM Power8*

Too many  
branches  
to see!



# Engineering is About Devices

**From Telegraphs to Telephones  
to Integrated Circuits**

**Device Converts an Input to an Output  
by a simple 'law'**

**Devices are Useful because they are robust and transferrable with one set of parameters**

**Devices and Circuits do what they are supposed to do**

**In chemistry and biochemistry, (rate) models are often NOT transferrable  
Different parameters are required in different conditions.  
Parameters can NOT be predicted ahead of time in most cases.**

*Shouldn't we make biochemistry an exact science?*

*ASBMB Today, 13: 36-38 (2014)*


*Available on arXiv as <https://arxiv.org/abs/1409.0243>*

# How derive/reconcile properties of circuits/devices with the Maxwell Equations?

**Circuits are not mentioned in the indexes of widely used textbooks of electrodynamics**

Griffiths, D.J. 2017. *Introduction to Electrodynamics, Fourth Edition* (Cambridge University Press).

Jackson, J.D. 1999. *Classical Electrodynamics, Third Edition* (Wiley: New York).



Kirchhoff's Laws successfully design circuits that operate in 0.1 nsec




## **Circuits are taught in high school physics and university engineering to millions of students every year**

Every electrician knows that current only flows in a complete circuit.  
Incomplete circuits block current flow. Why?

**Circuits and Kirchhoff's Laws are not mentioned in the indexes of widely used textbooks of electrodynamics**

Griffiths, D.J. 2017. *Introduction to Electrodynamics, Fourth Edition* (Cambridge University Press).

Jackson, J.D. 1999. *Classical Electrodynamics, Third Edition* (Wiley: New York).



**Essence of Electrodynamics**  
is  
**Maxwell's Core Equations**  
for the  
**Flows and Forces of Charge and Current**  
**in matter and space**

**Nearly Exact and Universal from Stars  
to inside atoms**

Ferry, Oriols, Eisenberg  
Displacement Current in Classical and Quantum Systems.  
Computation (2025) 13, 45  
DOI 10.3390/computation13020045

# Maxwell's Core Equations

$$\text{div } \mathbf{E} = \frac{\rho}{\epsilon_0}$$

$$\text{div } \mathbf{B} = 0$$

$$\text{curl } \mathbf{E} = -\frac{\partial \mathbf{B}}{\partial t}$$

$$\text{curl } \mathbf{B} = \mu_0 \left( \mathbf{J} + \epsilon_0 \frac{\partial \mathbf{E}}{\partial t} \right)$$

Total Current

$\mathbf{J}$  is [number of particles that move] x [charge per particle].  
It is a separately measured variable.

Maxwell Equations have error\*  $< 10^{-8}$  for  $|\mathbf{E}| \ll \text{Schwinger limit}^* = 1.32 \times 10^8 \text{ volts/Angstrom}$

$\mathbf{E}$  is the electric field,  $\mathbf{B}$  is the magnetic field

$\mathbf{J}$  is flux of charge with mass, including brief dielectric transients of  $\mathbf{P}$  and  $\mathbf{D}$  fields

$\rho$  is the the charge density of all types including brief dielectric transients of the  $\mathbf{P}$  and  $\mathbf{D}$  fields

$\epsilon_0$  is the electrical constant, the permittivity of a vacuum

$\mu_0$  is the magnetic constant the permeability of a vacuum

Velocity of light  $c = (\epsilon_0 \mu_0)^{-0.5} (!!)$

\*from measurements of QED fine structure constant  $\alpha$



Advanced Photon Source Argonne National Laboratory


Error in Theory  
 $< 10^{-10}$

Beam  $\sim 10^{10}$  eV  
 Beam length  $10^3$  m  
 Tolerance  $< 10^{-7}$  m  
 Beam Current 100 mA  
 Beam Power  $10^9$  watts



Robert Fischetti

ARGONNE NATIONAL LABORATORY 400-AREA FACILITIES  
 ADVANCED PHOTON SOURCE  
 (Beamlines, Disciplines, and Source Configuration)  
 ADVANCED PROTEIN CHARACTERIZATION FACILITY  
 CENTER FOR NANOSCALE MATERIALS





# Don't recognize Core Equations?

Polarization is too complex to define by one dielectric constant  $\epsilon_r$

Polarization is made part of  $\mathbf{J}$  and  $\rho$  in the Core Equations

Physics of dielectrics is moved into  $\mathbf{J}$  and  $\rho$  in the Core Equations

$$\begin{array}{lcl} \text{div } \mathbf{E} = \frac{\rho}{\epsilon_0} & \text{div } \mathbf{D} = \text{div } \overbrace{\epsilon_r \epsilon_0 \mathbf{E}} & = \rho_f \\[2em] \frac{1}{\mu_0} \text{curl } \mathbf{B} = \mathbf{J} + \epsilon_0 \frac{\partial \mathbf{E}}{\partial t} & \frac{1}{\mu_0} \text{curl } \mathbf{B} = \tilde{\mathbf{J}} + \epsilon_r \epsilon_0 \frac{\partial \mathbf{E}}{\partial t} & \end{array}$$

**Polarization is part of  $\mathbf{J}$  and  $\rho$  in the core equations**

When nothing is known about polarization, when constitutive model is not known experimentally,  
it is customary and appropriate to include the  
dielectric constant  $\epsilon_r$  as a single real positive constant  $\epsilon_r \geq 1$



# Maxwell's Core Equations

$$\operatorname{div} \mathbf{E} = \frac{\rho}{\varepsilon_0}$$

$$\operatorname{div} \mathbf{B} = 0$$

Total Current

$$\operatorname{curl} \mathbf{E} = -\partial \mathbf{B} / \partial t$$

$$\operatorname{curl} \mathbf{B} = \mu_0 (\mathbf{J} + \varepsilon_0 \partial \mathbf{E} / \partial t)$$

**Polarization is too diverse to define a dielectric constant  $\varepsilon_r$**

Polarization is part of  $\mathbf{J}$  and  $\rho$   
in the core equations

## Constitutive equations and models are needed to define $\mathbf{J}$ and $\rho$

EnVarA of Liu and Eisenberg provides one general approach

*Journal of Chemical Physics, 133: 104104. Communications in Mathematical Sciences, 20: 1541-50.*

When nothing is known about polarization,  
it is customary and appropriate to approximate the  
dielectric constant  $\varepsilon_r$  as a single real positive constant  $\varepsilon_r \geq 1$

# Documentation

**Polarization is too complex/diverse  
to define by one dielectric constant  $\epsilon_r$**

## **Electronic Devices, Solid State: many references in**

Ferry, Oriols, Eisenberg. 2025. Displacement Current in Classical and Quantum Systems.  
Computation 13, 45 DOI 10.3390/computation13020045

## **Ionic Solutions (thus life and most of chemistry): many references in**

**General:** Barsoukov, E., and J. Ross Macdonald. 2018.

*Impedance spectroscopy: theory, experiment, and applications (John Wiley & Sons).*

Eisenberg, Robert S. 2019. 'Dielectric Dilemma', preprint <https://arxiv.org/abs/1901.10805>.

**Optical Properties:** Parsegian, V. Adrian. 2006. *Van der Waals Forces: A Handbook for Biologists, Chemists, Engineers, and Physicists (Cambridge University Press: New York).*

**Polarization  $\epsilon_0(\partial\mathbf{E}/\partial t)$   
is Present in the Vacuum of Empty Space**  
*Experimental Fact*

***Space has Dielectric Constant = 1***


**Polarization  $\epsilon_0 \partial\mathbf{E}/\partial t$   
is Present Everywhere**  
*Einstein Special Relativity*

Einstein, Albert. 1905. 'On the electrodynamics of moving bodies', *Annalen der Physik*, 17: 50.

Explicitly calculated and eloquently explained in chapters in

*Griffiths, D.J. 2017. Introduction to Electrodynamics,*

*Jackson, J.D. 1999. Classical Electrodynamics*



# Polarization $\epsilon_0$ of Empty Space

Light travels through the Vacuum of Space  
 ethereal current  $\epsilon_0 \partial \mathbf{E} / \partial t$  flows in vacuum of space,  
 once thought to be filled with an 'aether'

Maxwell, 1865. Treatise on Electricity and Magnetism

Jeans, 1908. The Mathematical Theory of Electricity and Magnetism.

Whittaker, 1951. A History of the Theories of Aether & Electricity.



## Wave Equation

Corollary of  
 Maxwell Equations

$$\mu_0 \epsilon_0 \frac{\partial^2 \mathbf{E}}{\partial t^2} - \nabla^2 \mathbf{E} = 0$$

$c = 1/\sqrt{\epsilon_0 \mu_0} = \text{velocity of light}$  **Experimental Fact**

$$\mu_0 \epsilon_0 \frac{\partial^2 \mathbf{B}}{\partial t^2} - \nabla^2 \mathbf{B} = 0$$

Total Current is NOT the Flow of Charge

How do we know that?

**Light Exists in Vacuum**

Charge and Flow of Charge are ZERO in a vacuum

**Magnetic Fields Exist in Vacuum**

$\epsilon_0 \partial \mathbf{E} / \partial t$  is the current that creates Electromagnetic Waves

*LIGHT*

$$\mu_0 \epsilon_0 \frac{\partial^2 \mathbf{E}}{\partial t^2} - \nabla^2 \mathbf{E} = 0$$

Derivation of Wave Equations is in every textbook, starting with curl curl  $\mathbf{E}$

$$\mu_0 \epsilon_0 \frac{\partial^2 \mathbf{B}}{\partial t^2} - \nabla^2 \mathbf{B} = 0$$



# Total Current is NOT the Flow of Charge

## How do we know that?

Charge and Flow of Charge are ZERO in a vacuum

$\epsilon_0 \partial \mathbf{E} / \partial t$  is the current that creates Electromagnetic Waves  
***LIGHT***

$$\mu_0 \epsilon_0 \frac{\partial^2 \mathbf{E}}{\partial t^2} - \nabla^2 \mathbf{E} = 0$$

Derivation of Wave Equations is in every textbook, starting with curl curl E

$$\mu_0 \epsilon_0 \frac{\partial^2 \mathbf{B}}{\partial t^2} - \nabla^2 \mathbf{B} = 0$$

$$c = 1 / \sqrt{\epsilon_0 \mu_0} = \text{velocity of light}$$

**Experimental Fact**

# Electromagnetic Field Equations Exist Everywhere

because of the relativistic properties of space

Einstein, Albert. 1905. 'On the electrodynamics of moving bodies', *Annalen der Physik*, 17: 50.

1934. *Essays in science*, originally published as *Mein Weltbild* 1933

**Explicitly Calculated and Eloquently Explained** in chapters in

*Griffiths, D.J. 2017. Introduction to Electrodynamics,*

*Jackson, J.D. 1999. Classical Electrodynamics*

## In Vacuum

$$\text{div } \mathbf{E} = 0 = \cancel{\frac{\rho}{\epsilon_0}}$$

$$\text{div } \mathbf{B} = 0$$

$$\text{curl } \mathbf{E} = -\frac{\partial \mathbf{B}}{\partial t}$$


$$\text{curl } \mathbf{B} = \cancel{\mu_0 \mathbf{J}} + \underbrace{c^{-2} \frac{\partial \mathbf{E}}{\partial t}}_{\text{Ethereal Current}}$$

*c is velocity of light*

Ethereal Current = Displacement Current

Relativistic  
Property of  
Space  
NOT matter

## Well known Example of a Capacitor Circuit



Vacuum current = Ethereal current = Displacement Current  
All are names for the same thing  $\epsilon_0 \partial E / \partial t$

The literature mostly uses **Gauss Law** or Coulomb's Law

$$\mathbf{div} \mathbf{E} = \frac{\rho}{\epsilon_0} \quad \text{Source of Electric Field is charge}$$

and the Maxwell Ampere Law

$$\mathbf{curl} \mathbf{B} = \mu_0 \mathbf{J} + \underbrace{c^{-2} \partial \mathbf{E} / \partial t}_{\text{Ethereal Current}} \quad \text{Source of Magnetic Field is CURL}$$

Ethereal Current = Displacement Current

Note that  $\mathbf{div} \mathbf{B} = 0$

$\mathbf{J}$  is [number of particles that move] x [charge per particle].

It is a separately measured variable.

# **Cannot answer from Gauss Law or Coulomb's Law**

## **Charges in Circuits Cannot be Computed.**

## **Too Many Charges!!!**

Charges interact by Gauss' Law (i.e., Coulomb's equation)

Number of pairwise interactions is  $\frac{1}{2}10^{10}(10^{10} - 1)$ .

$n$ -body interactions from the *BBGKY* with flow are much more numerous.

- 1) Schuss, Nadler, Eisenberg, (2001) Derivation of PNP Equations from a Molecular Model. Phys Rev E 64: 036116 1-14
- 2) Nadler, Schuss, Singer, Eisenberg 2004 Ion diffusion from Langevin equations to partial differential equations. J. Physics: Cond Matter 16: S2153-S2165.
- 3) Schuss, Nadler, Singer, Eisenberg (2002) PDE formulation of non-equilibrium stat mech for ionic permeation, AIP Conf. Proceedings 665,  
*Unsolved Problems Of Noise And Fluctuations,*

Has anyone even tried?

**Smallest Circuits Involve Flows of Nanoamps of Current for Seconds  
in Many Locations in Nanometer Structures**

Nanoamp =  $6.2 \times 10^9$  charges per second



**Cannot actually use Gauss' Law/Coulomb Equation**  
**Need to Know ALL charges at all times!!**

*Hopeless to derive circuit laws because  
all ions interact with each other!*

Coarse Graining is the Answer to the Large Numbers of Charges

But Coarse Graining of Such Large Numbers is Awkward and Inaccurate  
(and usually depends on parameters that can vary)

**Maxwell Equations Provide an Exact Coarse Graining  
because they involve the extra physics of relativity and magnetism**


in the form of the Maxwell Ampere Law

$$\text{curl } \mathbf{B} = \mu_0 \left( \mathbf{J} + \varepsilon_0 \frac{\partial \mathbf{E}}{\partial t} \right)$$

# Kirchhoff's Current Law Brings hope

It is NOT necessary to know all the charges!


**Kirchhoff's Current law is** (almost) **enough**  
when properly generalized



## Kirchhoff Current Law ... generalized

$$\text{div } \mathbf{J}_{\text{total}} = \text{div } (\mathbf{J} + \epsilon_0 \partial \mathbf{E} / \partial t) = 0$$


*Integrated Circuits are  
Designed with Current Law*



### PHYSICS of $\mathbf{J}_{\text{total}}$

Total Current is always a divergence free  
Solenoidal Field everywhere.  
Total Current flows in loops and circuits,  
without sources or sinks.  
Total Current is never accumulated even at  
time scales of thermal motion.

*Mitochondrial Enzymes are  
Coupled by Current Law*



**Proof**

## Kirchhoff Current Law ... generalized

$$\text{div } \mathbf{J}_{\text{total}} = \text{div} (\mathbf{J} + \varepsilon_0 \partial \mathbf{E} / \partial t) = 0$$

Maxwell Ampere Equation

$$\text{curl}(\mathbf{B} / \mu_0) = \mathbf{J} + \varepsilon_0 \partial \mathbf{E} / \partial t = \mathbf{J}_{\text{total}}$$

Math Identity

$$\text{div curl} (\mathbf{B} / \mu_0) = 0 \implies \text{div} (\mathbf{J} + \varepsilon_0 \partial \mathbf{E} / \partial t) = 0$$

$\mathbf{J}$  is a separately measured variable, the flux of charges with mass, however small or transient.

$\mathbf{J}$  is the [number of particles that move]  $\times$  [charge per particle].

## PHYSICS of $\mathbf{J}_{\text{total}}$

Total Current is always a divergence free Solenoidal Field everywhere.

Total Current flows in loops and circuits,  
without sources or sinks.

Total current is never accumulated even at time scales of thermal motion.



# Div Curl is identically zero

for any function that is sufficiently smooth to satisfy the Maxwell equations

1) From derivative definition of **div** *yellow* and **curl** *blue*  
by substitution and cancellation for vector field  $\mathbf{F}$  with Components  $(F_x; F_y; F_z)$

$$\text{Div curl } \mathbf{F} = \frac{\partial}{\partial x} \left( \frac{\partial F_z}{\partial y} - \frac{\partial F_y}{\partial z} \right) + \frac{\partial}{\partial y} \left( \frac{\partial F_x}{\partial z} - \frac{\partial F_z}{\partial x} \right) + \frac{\partial}{\partial z} \left( \frac{\partial F_y}{\partial x} - \frac{\partial F_x}{\partial y} \right) = 0$$

Using  $\frac{\partial}{\partial x} \frac{\partial F_z}{\partial y} = \frac{\partial}{\partial y} \frac{\partial F_z}{\partial x}$  ; etc. : Schwarz/Clairaut Theorem

2) From integral definition of **div** and **curl** in a tiny volume element

Curl is a circulation integral with terms of equal magnitude but opposite sign

for any function that is sufficiently smooth to satisfy the Maxwell equations.

Divergence and flux have only one value and sign on the surfaces of the tiny element


for any function that is sufficiently smooth to satisfy the Maxwell equations

Substitution shows that the terms of the integral cancel.

Integral Derivation,  
illustrated

$$\text{Div Curl} = 0$$

*always*



$$\text{Div Curl} = 0$$

*Math identity*

Corollaries of Maxwell Equations  
**Exact Coarse Graining**

$$\text{div } \mathbf{J}_{\text{total}} = 0$$

This is a **Generalization of Kirchhoff's Current Law**  
that Includes displacement current  $\epsilon_0 \partial \mathbf{E} / \partial t$

**It is a mathematical consequence of the  
Maxwell Ampere Law of Magnetism**

*that I call Maxwell's Current Law*

see 'Maxwell's True Current' Computation (2024) 12(2): 22

***It is Scary Because it is Universal***

***Without adjustable parameters***

**An Exact and Universal theory of Electrodynamics is a scary challenge  
to scientists like me,  
trained to be skeptical of sweeping claims to perfection.**

**Kirchhoff's Law Has been used for nearly two centuries to analyze  
Complex Circuits Successfully**

**MANY fewer currents are needed than charges!!!**

**With Current Law,  
Large circuits are  
Easily solved**

**with software available to every engineer like LtSpice from Analog Devices**

<https://www.analog.com/en/resources/design-tools-and-calculators/ltspice-simulator.html>

Brocard, Gilles. 2013. *The LTspice IV simulator: manual, methods and applications* (Würth Elektronik).

Now we return to the challenge

**Question:**

**Why does Total Current flow in complete circuits?**

In a series circuit total current is equal everywhere because it has nowhere else it can go. It cannot leave the circuit.


That is what  $\text{div } \mathbf{J}_{\text{total}} = 0$  means.

**Answer: if the total current is zero in one place  
in a series circuit,  
it must be zero everywhere!!!**



# Question: Why does Current flow in complete circuits?

Answer: in a series circuit total current  
is equal everywhere  
although microphysics is different everywhere



## Total Current is a Solenoidal Field

$$\mathbf{div} \mathbf{J}_{\text{total}} = 0$$

The total current has no sources or sinks.

$\mathbf{J}_{\text{total}}$  is created only by boundary conditions and dipoles of total current that themselves have zero divergence.

# Total Current is a Solenoidal Field

$$\text{div } \mathbf{J}_{\text{total}} = 0$$

**1) Charge in solenoidal circuits flows in loops. The loops form circuits for charge movement.**

**2) Solenoidal flows** tend to "slide past" each because of the inherent property of zero divergence:

**minimal mixing**

**3) Circuits in electronic devices isolate the loops.**

Isolated loops follow Kirchhoff's laws, generalized to include displacement current.

**Solenoidal Flows Greatly Simplify Circuit Design for Devices**

**And so Devices work reliably in 0.1 nsec, close to the speed of light.**

*Light travels about 1 inch in 0.1 nsec*

*Interesting Question in Pure Math:*

*How does solenoidal nature of total current lead to generally useful circuits?*

Charge in solenoidal circuits flows in loops  
The loops form one dimensional branched circuits for charge movement

Branched One Dimensional Circuits in electronic devices  
isolate the loops so they interact in simple ways

$\text{div } \mathbf{J}_{\text{total}} = 0$  is the derivation of Circuit Laws  
from the Maxwell Equations





Fig. 2.1 A node with  $f$  connected branches



Kirchhoff's Law and  $\text{div } \mathbf{J}_{\text{total}} = 0$   
become

## **EQUALITY of Total Current in a Series System**

*Well known in Electronics*

“It is, after all, the **sum** of electron current and **displacement** current  
which has **no divergence**.


One of those two components can take over from the other.”

Landauer (1992) Physica Scripta T42 p 110.

“**Electrodynamic** fields are endowed by **unique** features,  
including an **exquisite spatial nonlocality**”

Slight paraphrase of Lundberg et al (2017)  
Tuning quantum nonlocal effects plasmonics  
Science 357:187-191

# Flux and Total Current $J_{\text{total}}$ have **very Different Physics** in Different Systems



*but*

**Continuity of Total Current  $J_{\text{total}}$  is Exact and Instantaneous**

$$J_{\text{total in Device 1}} = J_{\text{total in Device 2}} = J_{\text{total in Device 3}} \dots$$

***no matter what carries the current J  
at all times and all locations!***

Eisenberg (2016) Mass Action and Conservation of Current.

Hungarian Journal of Industry and Chemistry Posted on arXiv.org with paper ID arXiv:1502.07251 44:1-28.



**Conservation of Total Current  $J_{total}$  is Exact and Instantaneous**

**even though  
Physics of Charge Flow  
Varies Profoundly**

**How can that possibly be?**

# Electrodynamic Fields

$$\mathbf{E}, \quad \varepsilon_0 \partial \mathbf{E} / \partial t, \quad \mathbf{B}$$

take on the

Values that Conserve total Current  $\mathbf{J}_{total}$

***This is NOT mysterious***


**E is a force field that moves atoms**

Details and PROOF  
including quantum mechanics

Eisenberg, Oriols, and Ferry. 2017. Dynamics of Current, Charge, and Mass.  
Molecular Based Mathematical Biology 5:78-115  
and arXiv <https://arxiv.org/abs/1708.07400>

Ferry, Oriols, Eisenberg. 2025.  
Displacement Current in Classical and Quantum Systems.  
Computation 13, 45 DOI 10.3390/computation13020045

**E is a force field that moves atoms  
because atoms have charge**




Potassium Ion Channel  $Kv_{1.2}$   
PDB: 1BL8

so total current  $J_{total} = J(x, t) + \epsilon_0 \partial E / \partial t$  is always conserved instantaneously



Details and PROOF including quantum mechanics

Ferry, Oriols, Eisenberg  
Displacement Current in Classical and Quantum Systems.  
Computation (2025) 13, 45  
DOI 10.3390/computation13020045

# Total Current $J_{total} = 0$ is an Enormous Simplification in Short Nerve Cells




# **EQUALITY of Total Current $J_{total}$ is an Enormous Simplification in Devices Like Mitochondria**



0.5 μm



# Molecular Machines






**EQUALITY of Total Current  $J_{total}$**   
**is**  
**an Enormous Simplification**  
**in Series Systems**

**It can create a *Perfect Low Pass Filter***  
**It can *Convert***  
***Chaos* of Brownian Motion**  
**into a *Constant***

# Current Noise $J_{total}$ is Zero in Space

Current Noise  
 $J_{total}$   
is  
HUGE in time



One Dimensional Systems like Channels or Circuit Components

What does this mean for Mathematical Models?

The image of total current flow  $J_{total}$  is very  
different  
**VERY SMOOTH** in space

Total Current  $J_{total}$  does not vary in space so  
**Spatial Derivatives are not needed to**  
**describe total current**  
in series systems or devices

## ***Revolution in Biophysics***

**Total Current flow  $J_{total}$  is equal everywhere  
in a one dimensional channel**

**Thermal Motion in Space does not appear in  
equations for flow of total current  $J_{total}$  in a  
one dimensional channel**

**Thermal motion appears ONLY in time**

**Eisenberg (2020)**

**Electrodynamics Correlates Knock-on and Knock-off: Current is Spatially Uniform in Ion Channels.**


**Preprint on arXiv at <https://arxiv.org/abs/2002.09012>.**

## What does this mean for Ion Channels?

**Knock On and Knock Off of Ions  
is**

**IRRELEVANT for the Total Current  $J_{total}$  Through the Channel**

**Paradigm Change**



Corry (2018) The naked truth about  $K^+$  selectivity. Nature Chemistry 10:799-800.

Eisenberg (2020)  
Electrodynamics Correlates Knock-on and  
Knock-off: Current is Spatially Uniform in  
Ion Channels.  
Preprint on arXiv at  
<https://arxiv.org/abs/2002.09012>.

View of Channels has been focused on movements of individual ions  
in channels,

But

Total Current  $J_{total}$  is equal everywhere  
in a one dimensional channel

**Paradigm Change**

Position does not appear in equations for total  
current  $J_{total}$  in a one dimensional channel

**References and Proofs in**

Eisenberg (2019) **Kirchhoff's Law can be Exact.** arXiv: 1905.13574

Eisenberg, Gold, Song, and Huang (2018)  
**What Current Flows Through a Resistor?**  
arXiv:1805.04814

# **From Maxwell Equations to Circuits to Ion Channels**

**Any Questions??**

**Slides, References  
Bob.Eisenberg@gmail.com  
Discussion**



## Extra Slides

# The Electric Field is Strong

If you were standing at arm's length from someone and  
each of you had

*One percent* more electrons than protons,

the force  
would lift the  
**Entire Earth!**

slight paraphrase of third paragraph, p. 1-1 of  
Feynman, R. P., R. B. Leighton, and M. Sands. 1963. *The  
Feynman: Lectures on Physics, Mainly Electromagnetism  
and Matter*. New York: Addison-Wesley Publishing Co.,  
also at [http://www.feynmanlectures.caltech.edu/II\\_toc.html](http://www.feynmanlectures.caltech.edu/II_toc.html).

# Coulomb's Law in Chemical Units

**MANY** times larger than **thermal energy**

$$\mathbf{E}_{\text{coulomb}} = \frac{560 \mathbf{q_i q_j}}{\boldsymbol{\epsilon_r} \mathbf{r_{ij}}} \quad \text{units: } k_B T \cdot N_A = \text{Thermal Energy}$$

$$E_{\text{coulomb}} = 280 \frac{q_i q_j}{r_{ij}} \text{ on molecular dynamics time scale } 10^{-15} \text{ sec}$$

$$E_{\text{coulomb}} = 7 \frac{q_i q_j}{r_{ij}} \text{ in water}$$

$$E \text{ in units of thermal energy } RT = k_B T \cdot N_A ; \quad N_A = 6 \times 10^{23}$$

$q_{i,j}$  in units of elementary charge;  $r_{ij}$  in Angstrom

$\epsilon_r$  is dielectric coefficient,  $\sim 80$  for pure water

# **Electric Field is Strong and Important**

**MANY times the thermal energy**  
**MANY times larger than diffusion**

# **Electric Field is Important**

## ***Chemistry and Biology***

**“... all forces**  
on atomic nuclei in a molecule  
can be considered as  
purely classical attractions  
involving  
**Coulomb’s law.”**

“The electron cloud distribution is prevented from collapsing by obeying Schrödinger’s equation.”

**R.P. Feynman (1939)**

***Forces in Molecules.***

**Physical Review 56: 340.**

**Proof**

## Kirchhoff Current Law


$$\text{div } \mathbf{J}_{\text{total}} = 0$$

Maxwell Ampere Equation  $\text{curl } \mathbf{B} / \mu_0 = \mathbf{J} + \varepsilon_0 \partial \mathbf{E} / \partial t = \mathbf{J}_{\text{total}}$

Math Identity  $\text{div } \text{curl } \mathbf{B} / \mu_0 = 0 = \text{div } (\mathbf{J} + \varepsilon_0 \partial \mathbf{E} / \partial t) = \text{div } \mathbf{J}_{\text{total}}$

Total Current is always a divergence free Solenoidal Field everywhere, without sources.  
Total current is never accumulated even at time scales of thermal motion.

*Integrated Circuits are  
Designed with Current Law*




**Kirchhoff's Current Law**

$$\text{div } \mathbf{J}_{\text{total}} = 0$$

$\mathbf{J}$  = Flux of All Charges with mass, however small or transient  
 $\mathbf{J}$  is [number of particles that move] x [charge per particle].  
It is a separately measured variable.

*Mitochondrial Enzymes are  
Coupled by Current Law*







## Abstract

When the Maxwell equations are written without a dielectric constant, they are universal and exact, for fields less than the Schwinger limit ( $1.3 \times 10^{18}$  v/m), from inside atoms to between stars. Dielectric and polarization phenomena need then to be described by stress strain relations for charge, that show how charge redistributes when the electric field is changed, in each system of interest.

**Conservation of total current (including the ethereal displacement current  $\epsilon_0 \partial \mathbf{E} / \partial t$ ) is then independent of any property of matter and as exact as the Maxwell equations themselves.**

**Total current has zero divergence and is a solenoidal field**, without sources or sinks. Current flows in loops in solenoidal fields. Loops are isolated into one dimensional circuits by the layout of devices. Together, isolated loops are circuits that follow Kirchhoff current laws, generalized to include  $\epsilon_0 \partial \mathbf{E} / \partial t$  **on all time scales.**

**Spatial dependence of total current disappears in unbranched series systems:** conservation of total current becomes **exact equality at all times** in a single circuit branch. If total current is zero anywhere in one branch, it is zero everywhere in that branch: current only flows in complete circuits. Hopping phenomena disappear when total current flows in one branch. Maxwell's Core Equations become a perfect (spatial) low pass filter. The infinite spatial variation of a Brownian model of thermal noise becomes the zero spatial variation of total current in one branch.

**An Exact and Universal theory of Electrodynamics  
is a Scary Challenge to scientists like me,  
trained to be skeptical of sweeping claims to perfection.**

# Corollaries of Maxwell's Core Equations

## Derivation of the Continuity Equation

Linking Flux and Content

$$\mathbf{curl} \mathbf{B} = \mu_0 \left( \overbrace{\mathbf{J}(x, t)}^{\text{Flux of All Charges}} + \varepsilon_0 \partial \mathbf{E} / \partial t \right)$$

$$\mathbf{div} \mathbf{curl} \mathbf{B} = 0 = \mu_0 \mathbf{div}(\mathbf{J}(x, t) + \varepsilon_0 \partial \mathbf{E} / \partial t)$$

$$\mathbf{div} \mathbf{J}(x, t) = -\varepsilon_0 \mathbf{div} (\partial \mathbf{E} / \partial t) = -\varepsilon_0 \partial (\mathbf{div} \mathbf{E}) / \partial t$$

$$\text{But } \mathbf{div} \mathbf{E} = \rho / \varepsilon_0$$

$$\boxed{\mathbf{div} \mathbf{J} = -\partial \rho / \partial t}$$

*Corollaries of Maxwell's Core Equations*

## **Continuity Equation**

*Linking Flux and Content*

$$\mathbf{div} \mathbf{J} = - \frac{\partial \rho}{\partial t}$$


*Question for Students*

This is not a useful equation on atomic scale  
Why?

# Continuity Equation

*Linking Flux and Content*

## Feynman's Hidden Implications


$$\text{div } \mathbf{J} = - \frac{\partial \rho(x, y, z|t)}{\partial t}$$

Oh Dear!  
Often impossible

**Must know all charges  $\rho(x, y, z|t)$**


at all times

# Continuity Equation


## Feynman's Hidden Implications

Must know all charges and how they move


$$\text{div } \mathbf{J} = - \frac{\partial \rho(x, y, z|t)}{\partial t}$$



Integrated Circuit



Potassium Ion Channel  $K_{V1.2}$   
PDB: 1BL8



**Hopeless,** if one must

**“... exhibit in every case all the charges,  
whatever their origin”  
at all times**

Section 10-4 of Feynman, Leighton, and Sands (1963) vol. 2 *Electromagnetism and Matter*

*Without Conservation of Current*  
**Need to Know ALL charges at all times!!**

*Hopeless in large systems  
where all ions interact with each other!*



# Charge and Electricity

## Gauss Law

$$\text{div } \mathbf{E} = \frac{\rho}{\epsilon_0}$$

or

## Poisson Equation

$$\nabla^2 \varphi = -\frac{\rho}{\epsilon_0}; \quad -\nabla \varphi = \mathbf{E}$$

or

## Coulomb Law

$$\mathbf{E} = \frac{560}{\epsilon_r} \sum \frac{q_i q_j}{r_{ij}} \quad \text{in chemical units } kT/e = RT/F$$

$\mathbf{E}$  is the electric field,  $\varphi$  is the electrical potential; thermal energy of diffusion is  $kT/e = RT/F$

$q_i, q_j$  are charges  $r_{ij}$  separation of charges

$\rho$  is the the charge density of all types including brief dielectric transients of the  $\mathbf{P}$  and  $\mathbf{D}$  fields

$\epsilon_0$  is the electrical constant, the permittivity of a vacuum

*For Vector Field  $\mathbf{F}$  with Component  $(F_x; F_y; F_z)$*


$$\mathbf{Div\,curl\,F} = \frac{\partial}{\partial x} \left( \frac{\partial F_z}{\partial y} - \frac{\partial F_y}{\partial z} \right); \frac{\partial}{\partial y} \left( \frac{\partial F_x}{\partial z} - \frac{\partial F_z}{\partial x} \right); \frac{\partial}{\partial z} \left( \frac{\partial F_y}{\partial x} - \frac{\partial F_x}{\partial y} \right)$$

$$\text{Schwarz Theorem: } \frac{\partial}{\partial x} \frac{\partial F_z}{\partial y} = \frac{\partial}{\partial y} \frac{\partial F_z}{\partial x}; \text{ etc.}$$

$$\mathbf{Div\,curl\,F} = \mathbf{0}$$

$$\text{Div Curl} = 0$$

*always*



$$\text{Div Curl} = 0$$


*Math identity*

# **EQUALITY of Total Current $J_{total}$ is an Enormous Simplification**

**Eisenberg, B., N. Gold, Z. Song, and H. Huang. 2018. What Current Flows Through a Resistor?  
arXiv preprint <https://arxiv.org/abs/1805.04814>.**

**Eisenberg, R. S. 2019. Kirchhoff's Law can be Exact. arXiv preprint available at  
<https://arxiv.org/abs/1905.13574>.**

integrated circuit



Source: textbooks and internet

Seems Hopeless

***Fortunately,  
it is not hopeless***

Current flow is very smooth in spatial coordinate

**Differential equation in  $x$  is not needed for  $J_{total}$**

$$J_{total} = J + \epsilon_0 \partial E / \partial t$$

**What does this mean for theory and simulations?**

**Opportunity to Simplify Algorithms and Codes**  
*perhaps dramatically*

*Spatial Dependence is Already Known*

*Only have to average the time dependence*

Ma, Li and Liu (2016). arXiv:1605.04886; Ma, Li and Liu (2016). arXiv:1606.03625.

Current flow is very smooth in spatial coordinate  
Differential equation in  $x$  is not needed for  $J_{total} = J + \epsilon_0 \partial E / \partial t$

**What does this mean for theory and simulations?**

**Opportunity to Simplify Algorithms and Codes**  
*perhaps dramatically*

*Spatial Dependence is Already Known*  
*Only have to average the time dependence*  
Ma, Li and Liu (2016). arXiv:1605.04886; Ma, Li and Liu (2016). arXiv:1606.03625.



# Maxwell's Core Equations are Universal and Exact

But they are **Complicated Differential Equations**

**need very complicated mathematics** to describe **universal** physics

Electro 'statics'

$$\nabla \cdot \mathbf{E} = \frac{\rho}{\epsilon_0}$$

Electrodynamics


$$\nabla \times \mathbf{E} = -\frac{\partial \mathbf{B}}{\partial t}$$

Magneto 'statics'


$$\nabla \cdot \mathbf{B} = 0$$

Magnetodynamics

$$\nabla \times \mathbf{B} = \mu_0 \left( \mathbf{J} + \epsilon_0 \frac{\partial \mathbf{E}}{\partial t} \right)$$




Integrated Circuit



Potassium Ion Channel  $K_{v1.2}$

PDB: 1BL8

or



84



Corollaries of Maxwell Equations  
**Exact Coarse Graining**

$$\text{div } \mathbf{J}_{\text{total}} = 0$$

This is a **Generalization of Kirchhoff's Current Law**

that Includes displacement current  $\epsilon_0 \partial \mathbf{E} / \partial t$

**It is a mathematical consequence of the  
Maxwell Ampere Law of Magnetism**

*that I call Maxwell's Current Law see 'Maxwell's True Current'*

Computation (2024) 12(2): 22

***It is Scary Because it is Universal***

**An Exact and Universal theory of Electrodynamics is a scary challenge  
to scientists like me,  
trained to be skeptical of sweeping claims to perfection.**

# Molecular Machines

